



SAP Ariba 

機能の概要

追加のカタログ品目属性を指定するための品目仕様フィールド

Dan Schunk, SAP Ariba

一般提供予定: 2019 年 2 月

CONFIDENTIAL

機能の概要

実装の難易度  ロータッチ/容易
関連する地域  グローバル

新機能: 追加のカタログ品目属性を指定するための品目仕様フィールド

お客様の課題

カタログ内の品目には品目を説明および識別するための追加属性が含まれていることがありますが、現在、これらの属性を取得してカタログ内で表示する方法はありません。

SAP Ariba でこの課題に対応

この機能により、カタログ品目をより分かりやすく説明および特定するのに役立つ追加属性または品目仕様を指定するための、新しい品目仕様カタログフィールドが追加されます。

実現される主なメリット

カタログに新しいフィールドを追加し、カタログ品目の追加属性を取得してカタログ内で表示します。これらの属性は検索もできます。

ソリューション領域

SAP Ariba Buying and Invoicing
SAP Ariba Buying
SAP Ariba Catalog

実装に関する情報

この機能は、通常の設定で「オン」になっています。この機能を利用するための処理は必要ありません。

前提条件および制限事項

なし

機能の概要

新機能: 追加のカタログ品目属性を指定するための品目仕様フィールド

CIF 形式の情報

要素/属性	注
品目仕様	このフィールドの形式は {"key1" = "value1"; "key2" = "value2";} です。

CIF 形式の例

品目仕様

```
{"Type of Connection" =  
"Flanged"; "Mat Body" = "Carbon  
Steel";}
```

機能の概要

新機能: 追加のカタログ品目属性を指定するための品目仕様フィールド

品目詳細に新しい領域が表示され、新規に追加された仕様すべてが含まれています。

Information from Manufacturer:

[config/SampleImages/hallmark_cables.html](#)

Additional Specifications

Mat spec, gland flange	ASTM A105 NORMALISED; ASTM A216 GRADE WCB; ASTM A216 GRADE WCC; ASTM A29 GRADE 4140; ASTM A350 GRADE LF2, CLASS 1; ASTM A352 GRADE LCC
Mat spec, spring(s)	ASTM B637 UNS N07718
Nominal size	DN 80
Type of end connection	FLANGED
Service(s)	SOUR
Mat requirement, sour service	NACE MR-01-75 (VERSION 2002)
Mat spec, dynamic primary seal	FILLED PTFE; MODIFIED PTFE; VIRGIN PTFE
Tec classification code	BA-TR-SE-BD-SB-BB-XX-114313-ST
Type of construction	TWO/THREE PIECE
Mat spec, stem	ASTM A105 NORMALISED; ASTM A182 GRADE F 316; ASTM A182 GRADE F 316L; ASTM A182 GRADE F 6A; ASTM A276 TYPE 316; ASTM A276 TYPE 316L; ASTM A29 GRADE 4140; ASTM A350 GRADE LF2, CLASS 1; ASTM A564 TYPE 630; ASTM A705 TYPE 630
Additional requirements	MESC SPE 77/130 2013; MESC SPE 77/300A 2013; MESC SPE 77/302 2013; MESC SPE 77/312 2012; MESC SPE 77/315 2006; MESC SPE 85/112 2013; MESC SPE 85/203 2012; MESC SPE 85/301 2012
Mat, body	CARBON STEEL
Mat spec, seat	ASTM A182 GRADE F 316; ASTM A182 GRADE F 316L; ASTM A182 GRADE F 6A; ASTM A276 TYPE 316; ASTM A276 TYPE 316L; ASTM A351 -CF3M; ASTM A351 -CF8M; ASTM A705 TYPE 630
Mat, seals	ELASTOMERIC; GRAPHITE
Mat spec, seat insert	NYLON POLY AMIDE (PA) 12/G
Type of closure member	TRUNNION MOUNTED BALL
Mat, trim	AISI 316
Mat spec, closure member	ASTM A182 GRADE F 316; ASTM A182 GRADE F 316L; ASTM A182 GRADE F 6A; ASTM A351 -CF3M; ASTM A351 -CF8M; ASTM A705 TYPE 630
Design spec	API SPEC 6D; ISO 14313