

SAP Ariba 📈

Feature at a Glance Creating a correction service entry sheet

Franck DUPAS, SAP Ariba Target GA: May, 2019

CONFIDENTIAL



Customer challenge

Previously, after a service sheet had been approved or invoiced, suppliers were unable to make any corrections to the service sheets. Buyers could reject a service sheet before it was approved or invoiced. Suppliers could only cancel the service sheet before the invoice was issued.

Meet that challenge with SAP Ariba

Now, buyers can configure a new service sheet default transaction rule to allow suppliers to create a correction service sheet for those service sheets which are invoiced.

Experience key benefits

Allow suppliers to correct erroneous service entry sheets after they have been invoiced.

Solution area

Ariba Network SAP Ariba Commerce Automation SAP Ariba Commerce Automation Membership

Implementation information

Prerequisites and Limitations

This feature is automatically on for all customers with NONE the applicable solutions but requires **customer configuration**.

Ease of implementation _____ Low touch / simple Geographic relevance _____ Global

Detailed feature information

Buyers can now allow suppliers to submit a correction service entry sheet by enabling the service sheets transaction rule **Allow suppliers to create correction service sheets**. At the time when this feature is released, the rule is not enabled by default.

Procedure

- 1. Click Administration > Configuration
- 2. Click Default Transaction Rules. The Default Transaction Rules page appears.
- 3. In the Service Sheet Rules section, check the rule Allow suppliers to create correction service sheets.
- 4. Click Save.

Ariba Network

Default Transaction Rules		Save Close
Service Sheet Rules		
Allow suppliers to create correction service sheets. i		
Require suppliers to provide account assignmer can create correction service sheets.		
Require suppliers to create service entry sheets where the me them quantity is n	01 201 0. (i)	

Detailed feature information

Suppliers can create correction service entry sheets if they have been allowed to do so by the buyer. They can only do it for those service entry sheets which are invoiced.

Procedure

1. On the Dashboard, click the **Outbox** tab.

2. Click the Service Sheets tab.

3. Click the service entry sheet for which you want to create a correction service entry sheet.

Service Shee	ets (1)						
	Service Sheet #	Customer	Related PO	Date 1	Amount	Routing Status	Status
	SES2345	Cirrus Atlantic Suite	C225-R3	1 Aug 2018	\$225.00 USD	Acknowledged	Invoiced



Ariba Network

Detailed feature information

Supplier procedure continued

4. Ariba Network displays the details of the service entry sheet.



- 5. Click the Create Correction Service Sheet button.
- 6. If required, modify the Service Sheet number, the Start Date and End Date fields.

Detailed feature information

Supplier procedure continued

- 7. Modify the Quantity field as required.
- You can only enter a negative value in this field. Service Entry Sheet Lines

Line No. / Description								
▼ 1	10301549 Geological Services biosealer performance test - ambient te	emperature						
	Include Part No. / Description	Туре	Item Type	Qty / Unit		Price	Subtotal	
	10301549	Service 🗸	Planned	1	EA	(i) \$225.00 USD	\$225.00 USD	Delete
				Quantity cannot	be a positive number.			
	Geological Services biosealer performance	test - ambient tempera	ature		8			

- 9. While creating a correction entry sheet, you cannot:
 - Copy a line item.
 - Edit details of the Price, Part# / Description, and Subtotal fields.
 - Delete line items.

Detailed feature information

Supplier procedure continued

10. You cannot enter a negative quantity per line item which exceeds the total quantity value of the original service entry sheet..

Service Entry Sheet Lines

Line No.	ne No. Part No. / Description						Contract #		
▼ 1	10301549 Geological Services biosealer performance test - ambient temperature								
	Include	Part No. / Description	Туре	Item Type	Qty / Unit		Price	Subtotal	
		10301549	Service 🗸	Planned	-2	EA (i)	\$225.00 USD	\$-450.00 USD	Delete
					! Quantity serviced exceeds limit	10			
	Geological Services biosealer performance test - ambient temperature								

11. Click Next. 12. Click Submit.

NOTE: You cannot copy or create an invoice for an approved correction service entry sheet.