



Feature at a Glance SS-12910: Event Management API

Michael Waugh, Srikanth Raghavendra, SAP Ariba Target GA: May, 2020

CONFIDENTIAL



2

Feature at a Glance

Introducing: Event Management API

Customer challenge

An API does not currently exist to publish sourcing events.

Meet that challenge with

SAP Ariba

The Event Status Management API enables clients to publish sourcing events.

Experience key benefits

This feature introduces an API that enables API clients to publish sourcing events.

- Publish sourcing events
- Republish previously published events
- Specify how previous participant responses are handled (kept or discarded) and if participants receive notifications for the modifications.

Solution area

SAP Ariba Strategic Sourcing Suite SAP Ariba Sourcing SAP Ariba APIs SAP Ariba developer portal

Implementation information

This feature is ready for immediate use for all customers with the applicable solutions but requires customer enablement steps.

Prerequisites and Restrictions

See Documentation for Prerequisites and Restrictions

© 2020 SAP SE or an SAP affiliate company. All rights reserved. | CONFIDENTIAL

Feature at a Glance

Introducing: Event Management API

Request body parameters

Name	Required/Optional	Type	Description
			Used when an event is republished. Specifies how any existing participant responses are handled and if participants are notified that the event has been republished. Valid values:
updateChoice	Optional	string	 Keep and email. Keep participants' existing responses and send an email to participants notifying them that they should review their previous responses. Keep, but do not email. Keep participants' existing responses, but do not send email notifications to participants. Do not keep, and email. Discard existing responses and send an email to participants, notifying them to resubmit their responses. Do not keep, and do not email. Discard existing responses and do not send email notifications to participants.
			Default: 1.
message	Optional	string	Message to include in notifications send to participants if the event is republished.

Response fields

Field	Туре	Description	
message string Status of		Status or error information	

© 2020 SAP SE or an SAP affiliate company. All rights reserved. I CONFIDENTIAL

Feature at a Glance

Introducing: Event Management API

Request Body example:

```
{
    "updateChoice": "2",
    "message": "We updated the RFP for steel pins. Please resubmit your responses."
}
```

Response example:

```
{
"message": "Triggered Republish request on the event with update choice 2."
}
```

© 2020 SAP SE or an SAP affiliate company. All rights reserved. I. CONFIDENTIAL