

SAP Ariba 

PunchOut Catalog Guide for **Suppliers**

INDEX

Introduction and Types

- What is the difference between a PunchOut Level 1 and a PunchOut Level 2 ?

Project Specifics

- Main Prerequisites for Punchout Suppliers
- Project Timeline

System Architecture

- Functional and Purchase Operations
- cXML Message Flow

Ariba Network account Configuration

- How to set up my Ariba Network account ?

Index File

- How to fill in my Index File ?
- How to upload my Index File ?

Buyer Process

- How does a Buyer purchase from PunchOut ?


How to use this guide:

This presentation is **interactive** and contains **process simulations**.

When you see **text like this** or **buttons surrounded this** then you it is **interactive**.

Use the **red buttons** [  ] at the top right of your screen to be sent back here

Introduction and Types



What is Punchout Catalog

A **PunchOut** catalog is a type of catalogue that gives **Buyers** access a **Supplier's web-shop** from their SAP Ariba Application.

Punchout Level 1

When referred to a “**Level 1**”, this means the **Buyer** searches for the desired Supplier/PunchOut and then enters at the **Store Level**, i.e. they are sent to the web-shop’s landing page. On entering, the **Buyer** will **search for the Items on the Supplier's web-shop**, then add all desired items to the web-shop’s Basket and return back to the SAP Ariba Application with the Basket containing the selected Items to generate Purchase Requisition.

Punchout Level 2

When referred to a “**Level 2**”, this means the **Buyer** is entering at the **Aisle, Shelf or Product Level**, i.e. they are sent to a specific part of a web-shop. On entering, the Buyer will be **sent directly to the Aisle/Shelf/Product that he clicked on when browsing his SAP Ariba Application's UI**. Once he has added the desired items to the web-shop’s Basket, the **Buyer** returns back to the SAP Ariba application with the Basket containing the selected Items to generate Purchase Requisition.



FOURNISSEURTECH WEB-SHOP
Supplier: **FournisseurTech**

Buy from Supplier




Superbook ABC Laptop
Supplier: **FournisseurTech**
Supplier Part #: laptop_1
Available in : 8 Day(s)

\$499.99 USD * / each

Buy from Supplier

Project Specifics



Main Prerequisites for Punchout Suppliers



Business and Technical Requirements on catalog content

Business related topics as per Items available in Your Web-shop, Price, Availability T&Cs. Should be agreed with Buyer prior to enablement process.

Web-shop Configuration

Supplier's must configure their website in order to **accept the ANID** of Buyer.

Security

Supplier's Punchout site must communicate through **HTTPS (Hyper Text Transfer Protocol Secure)**. HTTPS protects all parties in Punchout sessions: Buyer Ariba Network, and the Punchout site.


Commodity Codes Required for Items

It is compulsory to associate a commodity code for each item in your Web-shop. A list of **commodity codes** is available in the Supplier Information Portal which is accessible from every Ariba Network account.


Consult cXML Documentation

In order to configure your website to transact and exchange Data with SAP Ariba Network and SAP Ariba Procurement Application via cXML. **cXML Solutions Guide** and the **cXML User Guide** are available in the Supplier Information Portal.


Project Timelines



System Architecture




Process Architecture: Functional and Purchase Operations



- [Click here for AN Configuration Simulation](#)
- [Click here for UPLOAD Simulation](#)
- [Click here for PURCHASE Simulation](#)

cXML Message Flow




[Click here for AN Configuration Simulation](#)

[Click here for UPLOAD Simulation](#)

[Click here for PURCHASE Simulation](#)


Ariba Network Account Configuration



Ariba Supplier Portal

1

Enter your **Supplier Credentials** [press on the **User Name** field]



Log in




Index



Refresh

2

Click on **Login**



Landing AN Page




Index



Refresh

3

On Top Left of the screen Click on **Company Setting Icon**



Settings




Index



Refresh

4

From Drop-down menu, click on **Electronic Order Routing**



Electronic Order Routing



Index



Refresh

5

Click on **Configure cXML (native) integration**

SAP

Network Settings

Electronic Order Routing Electronic Invoice Routing Accelerated Payments Settlement

* Indicates a required field

External System Integration

Configure cXML (native) integration

Configure Cloud Integration Gateway (non-native integration)

Non-Catalog Orders with Part Numbers

Process non-catalog orders as catalog orders if part numbers are entered manually

Status Update Request Notifications

<https://supplier.ariba.com>

Authentication



Index



Refresh

6

Select and Configure the Authentication Method (**Shared Secret Or Certificate**)

If you select Shared Secret, **Insert the value**

SAP

cXML is an electronic format for sending and receiving business documents.
* Indicates a required field

Authentication Method

Ariba Network requires an authentication method to process all cXML documents it validates.

Select an authentication method: **Shared Secret** ▾ This selection will

Shared Secret: * ⓘ

Confirm Shared Secret: *


<https://supplier.ariba.com>

Shared Secret



7

Now **Scroll**
Down



SAP

cXML is an electronic format for sending and receiving business documents.
* Indicates a required field

Authentication Method

Ariba Network requires an authentication method to process all cXML documents it validates.

Select an authentication method: This selection

Shared Secret: *

Confirm Shared Secret: *

<https://supplier.ariba.com>

PunchOut URL



Index



Refresh

8

Insert the
PunchOut URL
(Web-shop's URL)

SAP

Profile URL

Ariba Network uses the cXML Profile transaction to retrieve a list of the URLs of supported cXML transactions from your organization. Ariba Network sends a ProfileRequest transaction once in 24 hours when it needs to send you a cXML document. It caches the response. If you need to reset your cached cXML profile on Ariba Network, click Reset Profile. The next time Ariba Network needs to send you a cXML document, it gets your updated cXML profile. It is recommended to use the ProfileRequest method when you specify your cXML URLs.

Enter your Website's URL for receiving ProfileRequest documents.

PunchOut URL [Reset Profile](#)

PunchOut URL

PunchOut allows customers to perform shopping and product selection directly from their website. Enter your Website's URL for receiving PunchOutSetupRequest documents. If you support ProfileRequest documents (recommended), you can leave this field empty.

PunchOut Request URL

[Save](#)


<https://supplier.ariba.com>

Save



9

Click on
Save



SAP

Profile URL

Ariba Network uses the cXML Profile transaction to retrieve a list of the URLs of supported cXML transactions from your organization. Ariba Network sends a ProfileRequest transaction once in 24 hours when it needs to send caches the response. If you need to reset your cached cXML profile on Ariba Network, click Reset Profile. The next time Ariba Network needs to send you a cXML document, it gets your updated cXML profile. It is recommended to use the ProfileRequest method when you specify your cXML URLs.

Enter your Website's URL for receiving ProfileRequest documents.

PunchOut URL [Reset P](#)

PunchOut URL

PunchOut allows customers to perform shopping and product selection directly on your Website.
Enter your Website's URL for receiving PunchOutSetupRequest documents. If you support ProfileRequest documents (recommended), you can leave this field empty.

PunchOut Request URL

Save

<https://supplier.ariba.com>

End of Setup




Index




Refresh

10


Click on **Close** and you will be send to the page explaining how to fill in the **INDEX FILE**



Preparing and Loading the **Index File**



Main Page



1

Now Lets Upload
The Index File, Click
on **Catalogs Tab** on
Top

Create Standard




Index



Refresh

2

Click On
Create Standard



Subscription



Index



Refresh

3

Insert the **Catalog Name** (Catalog Subscription)

SAP

Create a New Catalog Next Exit

Enter a catalog name and descriptive text. Customers can search using this information. Add commodity codes to your catalog.

1 Details
2 Subscriptions
3 Content

Catalog Name

Created By: M...
Date Created: Saturday 27 Jun 2020 7:17 PM GMT+02:00
Description:

The maximum number of characters allowed is 1000, including spaces.

Commodities: ?

Description
No items

<https://supplier.ariba.com>

Next




Index



Refresh

4

Click **Next**



<https://supplier.ariba.com>

Customer




Index



Refresh

5

Ensure that 'Private' is selected (default) and **select My Customer** from available list of customers linked to your account



Next




Index



Refresh

6

Click **Next**



Index Format




Index



Refresh

7

Click on **Choose File** to upload the Index File from your local PC




Index Format



8

Select the **Index File** from Your Local PC



Index Format




Index




Refresh

9

Click on **Validate and Publish** and you will be sent to the **PURCHASING DEMO**



Annex



POSReq PunchOut Setup Request



```
<!DOCTYPE cXML SYSTEM
"http://xml.cxml.org/schemas/cXML/1.2.046/cXML.dtd">
```

Document type and version of cXML.

```
<cXML payloadID="958075346970@www.bigbuyer.com"
timestamp="2020-06-09T07:23:19-07:00">
```

Payloadid - is an identifier of the sent document.

```
<Header>
<From>
<Credential domain="NetworkID">
<Identity>AN1111111111</Identity>
</Credential>
</From>
```

FROM Credential Identifies the Originator of the POSReq. Always shows the **Buyer's ANID**

```
<To>
<Credential domain="NetworkID">
<Identity>AN2222222222</Identity>
</Credential>
</To>
<To>
<Credential domain="buyersystemid">
<Identity>2222222</Identity>
</Credential>
</To>
```

TO Credential Identifies the Destination of the POSReq. Contains all **Supplier's Domain + IDs**, taken from the **Buyer's Supplier Master Data**

```
<Sender>
<Credential domain="AribaNetworkUserId">
<Identity>sysadmin@ariba.com</Identity>
<SharedSecret>abracadabra</SharedSecret>
</Credential>
<UserAgent>Ariba Buyer 8.2</UserAgent>
</Sender>
</Header>
```

SENDER credential specifies the identity and shared secret (you will receive the **Shared Secret set up on you're an Account**).

```
<Request>
<PunchOutSetupRequest operation="create">
<BuyerCookie>1J3YVWU9QWMTB</BuyerCookie>
<Extrinsic name="CostCenter">610</Extrinsic>
<Extrinsic name="User">jsmith</Extrinsic>
<BrowserFormPost>
<URL>http://bigbuyer.com:3377/punchout</URL>
</BrowserFormPost>
```

Data that is taken from the **Buyer's User Master Data**

```
<SupplierSetup>
<URL>https://fournisseurtech.com/PunchOutServlet</URL>
</SupplierSetup>
```

The Supplier URL, taken from the **Supplier's Index File's 'SUPPLIER URL' field**

```
<ShipTo>
<Address addressID="001">
<Name xml:lang="en">BigBuyer Headquarters</Name>
<PostalAddress>
<DeliverTo>John Smith</DeliverTo>
<Street>1565 Pine, MS A.2</Street>
<City>New York</City>
<State>NY</State>
<PostalCode>01043</PostalCode>
<Country isoCountryCode="US">United States</Country>
</PostalAddress>
</Address>
</ShipTo>
```

Data that is taken from the **Buyer's User Master Data**

```
<Contact><Name>jsmith</Name>
</Contact>
<SelectedItem>
<ItemID>
<SupplierPartID>PunchOut_000</SupplierPartID>
</ItemID>
</SelectedItem>
</PunchOutSetupRequest>
</Request>
</cXML>
```

The Supplier URL, taken from the **Supplier's Index File's 'SUPPLIER PART ID' field**



POSResp PunchOut Setup Response

```
<cXML payloadID="958075346970@www.bigbuyer.com" timestamp="2020-06-09T07:23:19-07:00">
```

Payloadid - is an identifier of the sent document.

```
<Response>
<Status code="200" text="success">
<PunchOutSetupResponse>
<StartPage>
<URL>https://fournisseurtech.com/PunchOutServlet/sessionid=7006</URL>
</StartPage>
</PunchOutSetupResponse>
</Response>
</cXML>
```

Web-shop server shall send this message to Ariba server.
When connectivity works this message does not appear in Ariba log files.

POOM PunchOut Order Message

```
<!DOCTYPE cXML SYSTEM
"http://xml.cxm1.org/schemas/cXML/1.2.046/cXML.dtd">
```

Document type and version of cXML.

```
<cXML payloadID="958074737352&www.fournisseurtech.com"
timestamp="2020-06-09T07:23:19-07:00">
```

Payloadid - is an identifier of the sent document.

```
<Header>
<From>
<Credential domain="NetworkID">
<Identity>AN2222222222</Identity>
</Credential>
</From>
<From>
<Credential domain="buyersystemid">
<Identity>22222222</Identity>
</Credential>
</From>
```

FROM Credential identifies the originator of the POOM using the **Supplier's** Domain(s) and ID(s).

```
<To>
<Credential domain="NetworkID">
<Identity>AN1111111111</Identity>
</Credential>
</To>
```

TO Credential identifies the destination of the POOM using the **Buyer's** Domain and ID.

```
<Sender>
<Credential domain="www.fournisseurtech.com">
<Identity>PunchoutResponse</Identity>
<SharedSecret>abracadabra</SharedSecret>
</Credential>
<UserAgent>Our PunchOut Site V4.2</UserAgent>
</Sender>
</Header>
```

SENDER Credential specifies the identity and shared secret of the Supplier.

```
<Message>
<PunchOutOrderMessage>
<BuyerCookie>1J3YVWU9QWMTB</BuyerCookie>
<PunchOutOrderMessageHeader operationAllowed="edit">
<Total>
<Money currency="USD">999.98</Money>
</Total>
</PunchOutOrderMessageHeader>
<ItemIn quantity="2">
<ItemID>
<SupplierPartID>laptop_1</SupplierPartID>
<SupplierPartAuxiliaryID>white</SupplierPartAuxiliaryID>
</ItemID>
<ItemDetail>
<UnitPrice>
<Money currency="USD">499.99</Money>
</UnitPrice>
<Description xml:lang="en">SuperBook ABC Laptop</Description>
<UnitOfMeasure>EA</UnitOfMeasure>
<Classification domain="UNSPSC">43211503</Classification>
<ManufacturerPartID>Manufacturer_ID_1</ManufacturerPartID>
<ManufacturerName>Tricolore</ManufacturerName>
<LeadTime>8</LeadTime>
<Extrinsic name="cust1_contract_number">88845611</Extrinsic>
<Extrinsic name="cust2_contract_item_number">55565</Extrinsic>
<Extrinsic name="cust3_automatic_po">TRUE</Extrinsic>
</ItemDetail>
</ItemIn>
</PunchOutOrderMessage>
</Message>
</cXML>
```

POOM contains and transfers the Information of the Items added to the Cart in the Web-shop to **SAP Ariba Application**.

Some Projects might require **Customized Extrinsic** by your **Buyer**, In this case the Extrinsic will Appear in this Section of the POOM.


 Return to the Purchase Simulation

Purchasing Simulation

Here, you can see how a **Buyer's** user purchases from your PunchOut via the Ariba Application.

1

Click on **Approve and Activate** the Index File



(you can see how to do the upload by click on **Agenda** (top-left) and clicking the **Index File Upload** section)

Buyer's UI - Search

Now the Index File content is visible in **Buyer's UI** and a notification sent to the **Supplier**

2

Click on **Buy from Supplier**

The screenshot shows the SAP Ariba Buyer Procurement Application interface. At the top, there is a header with the SAP logo, 'Test Site', 'SAP Ariba', and 'Buyer Procurement Application'. Below the header, there are two search results. The first result is for a 'Supplier' with a 'Logo' icon, 'Supplier's WEB-SHOP (level 1)', and 'Supplier: FournisseurTech'. A blue button labeled 'Buy from Supplier' is highlighted with a dashed orange border. The second result is for 'Superbook ABC Laptop (level 2)', 'Supplier: FournisseurTech', 'Supplier Part #: laptop_1', and 'Available in : 8 Day(s)'. The price is '\$499.99 USD * / each'. A blue button labeled 'Buy from Supplier' is also highlighted with a dashed orange border. A dashed arrow points from the 'Buy from Supplier' button of the second result to a smaller monitor icon representing a notification sent to the supplier.

Notification sent to Supplier stating the index file is Active




WEBSHOP L1 - Store Level

You selected the PunchOut Level 1 (store level). The landing page of **the Supplier's web-shop** is now displayed in **the Buyer's UI**

3

Click on **Add to Cart**




Index



Refresh

---> **POReq.**



Supplier web-shop receives and sends back cXML Messages


<--- **POResp.**

WEBSHOP L2 - Product Level

You selected the PunchOut Level 2 (product level). The **Buyer** is sent directly to the item on **the Supplier's web-shop**

3

Click on **Add to Cart**



POReq.



Supplier web-shop receives and sends back cXML Messages

POResp.




Webshop Basket

You can now review your **Basket** on the **Supplier's Webshop** and send the Basket back to the **Buyer's Ariba Procurement Application**

4

Click on **Back to Ariba**



Index




Refresh

Checkout

We can now see the items we selected in the **Basket** of the **Buyer's Ariba Procurement Application**. Let's proceed to the Checkout

5

Click on **Proceed to Checkout**



Index



Refresh



Supplier web-shop sends back a cXML Message




POOM

Purchase Order

Now, all that the **Buyer** needs to do is send out the Purchase Order

6

Click on **Send Purchase Order**



Index



Refresh

Demo Complete!

Now that you have completed the **PURCHASING DEMO**, select one of the following options:

- 1 Restart Purchasing Demo**
- 2 Start Index File Upload Demo**
- 3 Review the cXML Message Flow**

RUN SIMPLE