

SAP Ariba 📈

Feature at a Glance Support for User Profile in Document Approval API

Andy Rubinson, SAP Ariba Target GA: February, 2022

PUBLIC



Geographic relevance

Introducing: Support for User Profile in Document Approval API

Customer challenge

Feature at a Glance

Today customers can only approve user profile changes via the UI in the SAP Ariba Buyer application. The Document Approval API did not support user profile change approvals, thus limiting the functionality.

Meet that challenge with SAP Ariba

This feature adds user profiles to the list of approvable document types supported by the Document Approval API.

Experience key benefits

Ease of implementation

Customers will now be able to adopt the document approval API to allow approvers to review and approve user profile changes. This gives customers more flexibility and simplifies the approval process for user profile changes.

High-Touch

Global

Solution area

SAP Ariba APIs SAP Ariba developer portal SAP Ariba Buying SAP Ariba Buying and Invoicing SAP Ariba Invoice Management

Implementation information

This feature is automatically on for all customers with the applicable solutions but requires **customer configuration**.

Prerequisites and Restrictions

To track user profiles in the Document Approval API, you must configure the

Application.Approvable.AllowedForExternalApproval parameter in the Intelligent Configuration Manager as follows:

- Add the value ariba.common.core.UserProfile to track user profiles
- To track multiple document types, add all desired values.

Restrictions: In order to create an application and request access to use the SAP Ariba APIs relevant to this feature, you must have access to the SAP Ariba developer portal.




Feature at a Glance

Introducing: Support for User Profile in Document Approval API

Update User Profile Parameter

In order to enable user profile


- Log in to view parameters in Intelligent Configuration Manager (ICM),
- Application.Approvable.AllowedForExtern alApproval parameter, must be set to ariba.common.core.UserProfile to allow user profile changes to be approved via API.



User makes changes in UI

Users may go into the application and change profile information


- Updates may include name, email, supervisor, groups, organizational accounting information, such as business unit, cost center, and shipping and delivery information.
- After making updates, the user is able to see the old (From) and new (To) profile information.



Configuration to allow user profile details through API

User profile details are not displayed via API by default, so the configuration must be updated to have the profile data shown.

- A. Again, the Intelligent Configuration Manager is used to search for the
 Approvable.ShowUserProfileDataExternally parameter
- B. Set to Yes and save the changes.



Run Get Changes API


Running the Get Changes API shows a list of changes, including:

- A. Approver arooney
- B. Approvable ID
- C. ApprovableUniqueName UP20

GET		~		changes?re	alm=p2pTe	eSg&\$filter=changeSe	quenceld	gt 87
arams	s •	Author	ization 鱼	Headers (8)	Body	Pre-request Script	Tests	Settings
leader	rs	⊙ 6 hidd	len					
,	KEY							
	Conte	nt-Type						
	apiKe	y						
	Key							
dv (Cooki	es He	aders (12)	Test Results				
-	Cooki y	es Hea Raw	aders (12) Preview	Test Results Visualize	JSON	~ =		
Pretty 1		Raw	Preview		JSON	~ =		
Pretty 1 2	у		Preview		JSON	~ =		
Pretty 1	у	Raw "value	Preview e": [T			~ =		
Pretty 1 2 3	у	Raw	Preview e": ["chang "appro	Visualize eSequenceId": vableId": "QU	"88", FBSØFKak	tQdng".		
Pretty 1 2 3 4 5 6	y {	Raw	Preview e": ["change "appro" "appro"	Visualize SequenceId": vableId": "QU vableUniqueNa	"88", FBSØFKak me": "UP:	tQdng", 20",		
Pretty 1 2 3 4 5 6 7	y {	Raw "value	Preview e": ["change "appro" "restRe	Visualize eSequenceId": vableId": "QU vableUniqueNa esourceName":	"88", FBSØFKak me": "UP: "userpro	tQdng", 20", ofiles",		
Pretty 1 2 3 4 5 6 7 8	y {	Raw	Preview e": [Visualize eSequenceId": vableId": "QU vableUniqueNa esourceName": vers": "[{\"t	"88", FBS0FKak me": "UP "userpro ype\":\"I	tQdng", 20", ofiles", User\",\"uniqueNam		
Pretty 1 2 3 4 5 6 7	y {	Raw	Preview e": [Visualize eSequenceId": vableId": "QU vableUniqueNa esourceName": vers": "[{\"t eParameters":	"88", FBS0FKak me": "UP? "userpro ype\":\"U "{\"app	tQdng", 20", ofiles",		
Pretty 1 2 3 4 5 6 7 8 9	y {	Raw	Preview e": [Visualize eSequenceId": vableId": "QU vableUniqueNa esourceName": vers": "[{\"t eParameters":	"88", FBS0FKak me": "UP? "userpro ype\":\"U "{\"app	tQdng", 20", ofiles", User\",\"uniqueNam rovalRequestBaseId		
Pretty 1 2 3 4 5 6 7 8 9 10	y {	Raw	Preview e": [Visualize eSequenceId": vableId": "QU vableUniqueNa esourceName": vers": "[{\"t eParameters": eType": "Appr	"88", FBS0FKak me": "UP? "userpro ype\":\"U "{\"app	tQdng", 20", ofiles", User\",\"uniqueNam rovalRequestBaseId		

Feature at a Glance Introducing: Support for User Profile in Document Approval API Run Get User Profiles API

- Running the Get User Profiles API using approvableID shows a more specific list of changes, including these fields:
 - A. name
 - B. emailAddress
 - C. groups (Asset Manager removed and Catalog Approver added)
 - D. Supervisor
- This listing mirrors what was shown in the UI on slide 4.



Feature at a Glance

Introducing: Support for User Profile in Document Approval API

В

26

27

28

29 30

31

"changeType": "ApprovalRequestActivated",

"approvers": "[{\"type\":\"User\",\"uniqueName\":\'adavis\"}]",

"approvableUniqueName": "UP11",

"realm": "p2pTeSg"

"restResourceName": "userprofiles",

_

Adding Approvers

Approvers may be added via the application and confirmed via API.


- This shows the application UI for adding an approver, Arnold Davis
- Using the GetChanges API after adding the approver in the UI, the results show:
 - A. An approver has been added
 - B. An approver request has been activated
 - C. New approver is listed as adavis

	e request you selected. Depending on its status, you can edit, change, copy, c	ancel, or s nges for Chad Nollnannn	Status: Submitte
Withdraw	Edit Print	ou selected. Depending on its status, you can self, change, copy, cancel, or submit the request for approval. You may also print the deale of the request. Review your request and take the dealed addin(s).	
		Print	
Summary App	roval Flow History	e Heroy	
	Active × Pending ×		
Submitted	Appro	pred preserved a selected a selec	
	Add Serial Approver Add Parallel Approver	Add approver to approval flow: * Aenoid Davis 🗸 Add more	
	Move Approver	Add this approval request as: Approver Watcher	
		Provide a manor:	
		OK Cancel	
	-		
13	"approvableBaseID": "AA/		
14	"changeParameters": "",	And British and	
	"changeParameters": "", "changeSequenceId": "2",		
14 15	"changeParameters": "", "changeSequenceId": "2",		
14 15	"changeParameters": "", "changeSequenceId": "2",	Added",	
14 15 16	"changeParameters": "", "changeSequenceId": "2", "changeType": "Approver/	Added", "UP11",	
14 15 16 17	"changeParameters": "", "changeSequenceId": "2", "changeType": "Approver/ "approvableUniqueName": "restResourceName": "use	Added", "UP11",	
14 15 16 17 18	"changeParameters": "", "changeSequenceId": "2", "changeType": "Approver/ "approvableUniqueName": "restResourceName": "use	Added", "UP11", erprofiles",	
14 15 16 17 18 19	"changeParameters": "", "changeSequenceId": "2", "changeType": "Approver/ "approvableUniqueName": "restResourceName": "use "approvers": "[{\"type\" "realm": "p2pTeSg"	Added", "UP11", erprofiles",	
14 15 16 17 18 19 20	"changeParameters": "", "changeSequenceId": "2", "changeType": "Approver/ "approvableUniqueName": "restResourceName": "use "approvers": "[{\"type\"	Added", "UP11", erprofiles",	
14 15 16 17 18 19 20 21	<pre>"changeParameters": "", "changeSequenceId": "2", "changeType": "Approver/ "approvableUniqueName": "restResourceName": "use "approvers": "[{\"type\" "realm": "p2pTeSg" }, {</pre>	Added", "UP11", erprofiles", ":\"User\",\"uniqueName\":\"arooney\"}]",	
14 15 16 17 18 19 20 21 22 23	<pre>"changeParameters": "", "changeSequenceId": "2", "changeType": "Approver/ "approvableUniqueName": "restResourceName": "use "approvers": "[{\"type\" "realm": "p2pTeSg" }, { "approvableBaseID": "AAA</pre>	Added", "UP11", erprofiles", ":\"User\",\"uniqueName\":\"arooney\"}]", AKAJjEsIJ",	
14 15 16 17 18 19 20 21 22	<pre>"changeParameters": "", "changeSequenceId": "2", "changeType": "Approver/ "approvableUniqueName": "restResourceName": "use "approvers": "[{\"type\" "realm": "p2pTeSg" }, { "approvableBaseID": "AAA</pre>	Added", "UP11", erprofiles", ":\"User\",\"uniqueName\":\"arooney\"}]", AKAJjEsIJ", "approvalRequestBaseId\":\"AAAAAFWEsNS\"}",	

Approving user profile changes via UI

Approvals may be submitted via the application UI or API

 Approval through the UI can be done by simply clicking Approve, adding any comments, and hitting OK.




Approving user profile changes via API

Approvals may be submitted via the application UI or API

 Adding a new approval for the next approver via Patch User Profile approve API, we update the string using the approvable ID from the Get Changes API, as shown on slide 6, and "amanning" as the user as shown and **send**.

D	ocument Approval / v2 / Patch User Profile a		🖺 Save 🗸 👓	P
•	August and Aug	ng passwordAdapter=PasswordAdapter1&realm=p2pTeSg		Send 🗸
-	rams Authorization Headers (10) Body Pre-request Script	Tests Settings		Cookies
	KEY	VALUE	DESCRIPTION	••• Bulk Edit
	user	amanning		
	passwordAdapter	PasswordAdapter1		
6	realm	p2pTeSg		
	Key	Value	Description	



Pending Approvables API

To see what items are awaiting approval, the Pending Approvables API may be used.

• We make some new changes to a user profile name and email address as shown here and submit.



Pending Approvables API

To see what items are awaiting approval, the Pending Approvables API may be used.

- We make some new changes to a user profile name and email address as shown here and submit.
- Now running the Pending Approvables API, we see a new approvable ID, with approvable unique name UP21.

Looks like your	r team is full. To expand, organize, manage y	our team effortlessly, upgrade your plan.				
My Workspace	New Import	GET Get Changes	ser Profi GET Pending Approvab × + ****	Doc approval - Buyer Local		
9 +		Document Approval / v2 / Pending Approvables		🛱 Save 🗸 👓 🥖		
ctions >	⊡ v1	Document Approval / v2 / Pending Approvables				
»»»		GET v /pendingApprovables?realm=p2pTeSg				
Pis 🗸	🗎 v2	Params Authorization Headers (8) Body Pre-request	Script Tests Settings	Cook		
a.	POST Oauth	Params Authorization Headers (8) Body Pre-request Script Tests Settings				
onments	GET Get Changes	Query Params				
_	GET Get Changes realm_155	KEY	VALUE	DESCRIPTION Bulk E		
Servers	GET Get Changes Copy	realm	p2pTeSg			
_	GET Pending Approvables	Body Cookies Headers (12) Test Results	\$	Status: 200 OK Time: 284 ms Size: 2.36 KB Save Respons		
14 nitors	GET Get Requisition	body cookes neaders (12) rest kesdits		tar status, 200 OK Time, 204 ms Size, 2.30 Kb Save Kespuns		
nors	GET Get Requisitions	Pretty Raw Preview Visualize JSON ~ 异		<u></u>		
0 0	GET Get Requisitions p2pTeSap	1				
ws	GET Get UserProfiles	2 "value": [
D	GET Get Requisitions p2pTePsoft	<pre>3 { 4 "approvableId": "OUFBSØFKaktSMHY",</pre>				
tory	GET Get Invoices	5 "approvableUniqueName": "UP21",				
	GET Get Invoice	6 "approvableType": "userprofiles", 7 "description": "User Profile Changes fo	a deal wall down all			
		7 "description": "User Profile Changes fo 8 "assignedDate": "2021-12-07",	r chad Nott demo 4 ,			
	GET Get Requisition attachment	9 "approver": "amanning",				
	GET Get Invoice attachment	10 "email": "nobody@ansmtp.ariba.com", 11 "fullURL": "http://c02c993hmd6t:12038/E	uyer/Main/ad/webjumper?realm=p2pTeSg&passwordadapter=Password	Adapter15itemID-AAAKAliKBQu&aucharset-UTE_9"		
	PATCH Patch Requisition comment	12 "attachments": []	uyer/Hain/au/webjumper:reatm=p2pre3gapasswor0a0apter=rasswor0	Adapter initemite AAAAAS jaavaa aaaaa aaaaaaaaaaaaaaaaaaaaaaaaa		
	PATCH Patch Requisition approve	13 },				
	PATCH Patch Invoice comment	14 { 15 "approvableId": "QUFBS0FZeUlzcGI",				
	PATCH Patch Invoice approve	16 "approvableUniqueName": "PR12",				
		17 "approvableType": "requisitions",				
	GET Get Groups	18 "description": "Copy of abc", 19 "assignedDate": "2021-12-04",				
	GET Get Groups p2pTeSap	20 "approver": "adavis",				
	GET Get Groups p2pTePsoft	21 "email": "nobody@ansmtp.ariba.com",				
	GET Get Group		uyer/Main/ad/webjumper?realm=p2pTeSg&passwordadapter=Password	Adapter1&itemID=AAAKAYyIspb&awcharset=UTF-8",		
	GET Get Group Members	23 "attachments": [] 24 },				
		25 {				
	POST Oauth prod CN Copy	26 "approvableId": "QUFBS0FnQ0lpOHE",				
	PATCH Patch User Profile approve	27 "approvableUniqueName": "INVShilpa1-11"				

For additional insight on the Document Approval API, refer to the *Document Approval API overhauled in new version* Feature at a Glance linked below.



SAP Ariba

Feature at a Glance Document Approval API overhauled in new version

Andy Rubinson, SAP Ariba Target GA: August, 2021

PUBLIC







www.sap.com/contactsap

© 2021 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

The information contained herein may be changed without prior notice. Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platforms, directions, and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, and they should not be relied upon in making purchasing decisions.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.



See www.sap.com/copyright for additional trademark information and notices.