

Native cXML Transaction Setup

(Enterprise Account Only)

- This option refers to the account level **Default Authentication**. This option would be used for all cXML transactional documents across all customers.
- To access this authentication setup:
 - Click your initials
 - Select **Settings**
 - Click **Integrations**
 - Click **cXML Setup**
 - Select your **Authentication Method**.
The Preferred method is Shared Secret.
 - Type in your Shared Secret credentials.
 - This Shared Secret will be sent to your systems to authenticate requests.
 - Click Save.

The image displays three overlapping screenshots of the SAP Business Network user interface, illustrating the steps to configure cXML authentication.

Top Screenshot: Shows the main dashboard with the user's initials 'CM' in the top right corner. A dropdown menu is open, showing the 'Settings' option highlighted with a red box.

Middle Screenshot: Shows the 'Settings' page with the 'Integrations' tab selected and highlighted with a red box. Under the 'Integrations' section, the 'cXML Setup' option is highlighted with a red box.

Bottom Screenshot: Shows the 'cXML Setup' page. The 'Authentication Method' section is highlighted with a red box, showing the 'Shared Secret' method selected. Below this, the 'cXML Profile' section is visible, showing the 'Profile URL' field. At the bottom right, the 'Save' button is highlighted with a red box.